



Grundwasserstände	Birstal				Amt für Umweltschutz und Energie			
	MuttENZ 21.R.64 Unterwart				Kanton Basel-Landschaft			
	Abstichpunkt: 0.00 m ü.M.				Koordinaten: 0.00 / 0.00			
	OK Terrain: 0.00 m ü.M.							

2024	Januar	Februar	März	April	Mai	Juni	Juli	August	September	Oktober	November	Dezember	
Tagesmittel	1 256.79	256.87	256.70	256.74	256.73	257.38 +	256.73	256.53	256.37	256.70	256.52	256.91	1
	2 256.79	256.83	256.68	256.74	256.71	257.26	256.69	256.53	256.43	257.44 +	256.52	256.85	2
	3 257.00	256.80	256.66	256.72	256.71	257.30	256.69	256.50	256.43	257.31	256.51	257.07	3
	4 257.08	256.78	256.64	256.72	256.67	257.29	256.71	256.49	256.40	257.18	256.50	257.09	4
	5 257.02	256.75	256.62 -	256.70	256.65 -	257.16	256.67	256.48	256.39	257.13	256.49	256.99	5
	6 256.95	256.73	256.65	256.68	256.75	257.05	256.67	256.45	256.40	257.00	256.47	257.07	6
	7 256.97	256.71	256.70	256.66	256.92	256.97	256.87	256.49	256.36	256.88	256.46	257.23	7
	8 257.05	256.77	256.68	256.65	256.97	256.91	256.84	256.53	256.35 -	256.89	256.46	257.33 +	8
	9 256.98	256.81	256.66	256.64	256.94	256.95	256.76	256.48	256.37	257.20	256.45	257.28	9
	10 256.92	256.79	256.65	256.63	256.85	257.01	256.71	256.44	256.41	257.05	256.45	257.26	10
Max. +	11 256.88	256.76	256.69	256.61	256.79	256.98	256.68	256.43	256.41	256.95	256.44	257.13	11
	12 256.84	256.75	256.67	256.59	256.74	256.90	256.69	256.42	256.53	256.90	256.46	257.02	12
	13 256.81	256.73	256.72	256.58	256.71	256.84	256.97 +	256.41	256.51	257.02	256.45	256.94	13
	14 256.78	256.71	256.78	256.57	256.68	256.79	256.92	256.40	256.52	257.06	256.43	256.88	14
	15 256.76	256.69	256.74	256.56 -	256.68	256.87	256.81	256.40	256.50	256.95	256.43	256.85	15
	16 256.74 -	256.68	256.83	256.57	256.77	256.88	256.77	256.40	256.46	256.90	256.41	256.81	16
	17 256.86	256.66	256.90	256.61	257.16	256.81	256.72	256.41	256.46	256.84	256.41	256.79	17
	18 257.73	256.64 -	257.00	256.66	257.22	256.76	256.67	256.49	256.48	256.78	256.40 -	256.78 -	18
	19 257.74 +	256.67	257.34 +	256.69	257.07	256.72	256.64	256.55 +	256.45	256.74	256.41	256.80	19
	20 257.46	256.72	257.18	256.75	256.97	256.69	256.62	256.52	256.43	256.70	256.71	256.94	20
Min. -	21 257.27	256.76	257.04	256.87	257.07	256.68 -	256.61	256.47	256.41	256.66	256.86	256.92	21
	22 257.15	256.78	256.94	256.95 +	257.13	256.73	256.62	256.44	256.39	256.63	256.76	257.01	22
	23 257.33	256.98	256.88	256.94	257.06	256.81	256.61	256.42	256.40	256.62	256.70	257.29	23
	24 257.25	256.99 +	256.90	256.90	256.98	256.75	256.58	256.40	256.45	256.60	256.83	257.24	24
	25 257.30	256.90	256.94	256.86	256.99	256.72	256.57	256.43	256.43	256.63	257.25	257.13	25
	26 257.30	256.84	256.92	256.83	256.94	256.82	256.55	256.45	256.47	256.61	257.38 +	257.04	26
	27 257.19	256.79	256.88	256.84	256.91	256.91	256.53	256.41	256.78	256.58	257.24	256.96	27
	28 257.10	256.75	256.84	256.86	256.99	256.87	256.54	256.40	256.79	256.57	257.08	256.91	28
	29 257.02	256.72	256.81	256.82	256.93	256.85	256.52	256.39	256.91 +	256.56	257.10	256.87	29
	30 256.96		256.77	256.77	257.00	256.79	256.51	256.37	256.78	256.55	257.01	256.84	30
	31 256.91		256.74		257.25 +		256.50 -	256.36 -		256.53 -		256.80	31
Monatsmittel	257.06 +	256.77	256.81	256.72	256.90	256.91	256.68	256.45 -	256.48	256.84	256.65	257.00	
Maximum	257.87 +	257.03	257.38	256.96	257.30	257.42	257.02	256.57 -	256.93	257.63	257.42	257.36	
Datum	18.01	23.02	19.03	23.04	17.05	01.06	13.07	19.08	29.09	02.10	26.11	08.12	
Amplitude	1.15	0.40	0.77	0.40	0.66	0.74	0.53	0.21	0.59	1.10	1.02	0.58	
Jahr 2024	Mittel	256.77 m ü.M.		Maximum	257.87 (18.Jan)			Minimum	256.34 (08.Sep)			Amplitude	1.53 m



2014 - 2024													
Monatsmittel	256.70	256.72 +	256.66	256.56	256.66	256.51	256.48	256.36	256.28 -	256.38	256.50	256.69	
Maximum Jahr	258.32 2018	257.71 2021	257.39 2016	257.59 2015	258.43 2015	258.17 2018	258.58 + 2021	257.37 2021	257.00 - 2022	257.63 2024	257.74 2023	257.81 2017	
Minimum Jahr	255.94 + 2014	255.92 2014	255.80 2014	255.58 2014	255.76 2014	255.46 - 2014	255.57 2014	255.76 2014	255.65 2014	255.64 2014	255.67 2014	255.82 2014	
Amplitude Jahr	1.77 2016	1.11 2021	0.98 2017	1.13 2015	2.08 + 2015	1.70 2018	1.60 2021	0.82 2021	0.74 - 2022	1.10 2024	1.33 2017	1.35 2017	
Periode	Mittel	256.54 m ü.M.		Maximum	258.58 (15.Jul 2021)			Minimum	255.46 (28.Jun 2014)			Amplitude	3.12 m




Grundwassertemperatur	Birstal			Amt für Umweltschutz und Energie
	Muttenz	21.R.64	Unterwart	Kanton Basel-Landschaft
	Abstichpunkt:	0.00	m ü.M.	Koordinaten: 0.00 / 0.00
	OK Terrain:	0.00	m ü.M.	

Koordinaten: 0.00 / 0.00

m ü.M.

Jahr 2024	Mittel	13.5 °C	Maximum	13.7 (09.Jul)	Minimum	13.3 (01.Jan)	Amplitude	0.4 °C
-----------	--------	---------	---------	---------------	---------	---------------	-----------	--------



Periode	Mittel	13.1 °C	Maximum	13.7 (09.Jul 2024)	Minimum	12.5 (22.Okt 2014)	Amplitude	1.2 °C
---------	--------	---------	---------	--------------------	---------	--------------------	-----------	--------